

**Referenslista till Ingemar Peterssons föredrag "Reumatiska sjukdomar - vem drabbas och hur?" på Forskningens dag 2013.**

Leden I, Svensson B, Harding B, Nuorala E, Liden K, Gotherstrom A. *Paleopathology can be beneficial for current rheumatologic research*. Lakartidningen. 2002 Mar7;99(10):1060.

Kjeken I, Ziegler C, Skrolsvik J, Bagge J, Smedslund G, Tovik A, Petersson IF et al. *How to develop patient-centered research: some perspectives based on surveys among people with rheumatic diseases in Scandinavia*. Phys Ther. 2010 Mar;90(3):450-60.

Hagel S, Petersson IF, Bremander A, Lindqvist E, Bergknut C, Englund M. *Trends in the first decade of 21st century healthcare utilisation in a rheumatoid arthritis cohort compared with the general population*. Ann Rheum Dis. 2013 Dec 8;72(7):1212-6.

Gulfe A, Kristensen LE, Saxne T, Jacobsson LT, Petersson IF, Geborek P. *Rapid and sustained health utility gain in anti-tumour necrosis factor-treated inflammatory arthritis: observational data during 7 years in southern Sweden*. Ann Rheum Dis. 2009 Feb;69(2):352-7.

Olofsson T, Englund M, Saxne T, Joud A, Jacobsson LT, Geborek P, Petersson IF. *Decrease in sick leave among patients with rheumatoid arthritis in the first 12 months after start of treatment with tumour necrosis factor antagonists: a population-based controlled cohort study*. Ann Rheum Dis. 2010 Dec;69(12):2131-6.

Hekmat K, Jacobsson L, Nilsson JÅ, Petersson IF, Robertsson O, Garellick G, et al. *Decrease in the incidence of total hip arthroplasties in patients with rheumatoid arthritis - results from a well defined population in south Sweden*. Arthritis Research & Therapy. 2011;13(2):R67.

van Vollenhoven RF, Ernestam S, Geborek P, Petersson IF, Coster L, Waltbrand E, et al. *Addition of infliximab compared with addition of sulfasalazine and hydroxychloroquine to methotrexate in patients with early rheumatoid arthritis (Swefot trial): 1-year results of a randomised trial*. Lancet. 2009 Aug 8;374(9688):459-66.

Simonsson M, Bergman S, Jacobsson LT, Petersson IF, Svensson B. *The prevalence of rheumatoid arthritis in Sweden*. Scand J Rheumatol. 1999;28(6):340-3.

Englund M, Joud A, Geborek P, Felson DT, Jacobsson LT, Petersson IF. *Prevalence and incidence of rheumatoid arthritis in southern Sweden 2008 and their relation to prescribed biologics*. Rheumatology (Oxford). 2010 Aug;49(8):1563-9.

Haglund E, Bremander AB, Petersson IF, Strombeck B, Bergman S, Jacobsson LT, et al. *Prevalence of spondyloarthritis and its subtypes in southern Sweden*. Ann Rheum Dis. 2011 Feb 2;70(6):943-8.

van Vollenhoven RF, Geborek P, Albertsson K, Forslind K, Ernestam S, Petersson I. F., Chatzidionysiou A, Bratt J, for the SWEFOT study group. *Conventional combination treatment versus biological treatment in methotrexate-refractory early rheumatoid arthritis: 2 year follow-up of the randomised, non-blinded, parallel-group Swefot trial.* Lancet. 2012 May 5;379(9827):1712-20. Epub 2012 Mar 29

Eriksson J, Neovius M, Bratt J, Petersson IF, van Vollenhoven RF, Geborek P & Ernestam S. *Biologic versus Conventional Combination Treatment and Work Loss in Early Rheumatoid Arthritis: a randomized trial.* JAMA Intern Med. 2013 Jul 1. doi: 10.1001/jamainternmed.2013.7801.

**Referenser till Martin Englunds föredrag "Meniskskada, ont i knät och artros – hur hänger det ihop?" på Forskningens dag 2013.**

Englund M, Lohmander LS. Risk factors for symptomatic knee osteoarthritis fifteen to twenty-two years after meniscectomy. *Arthritis & Rheumatism* 2004;50:2811-19.

Englund M, Niu J, Guermazi A, Roemer FW, Hunter DJ, Lynch JA, Lewis CE, Torner J, Nevitt MC, Zhang YQ, Felson DT. Effect of meniscal damage on the development of frequent knee pain, aching, or stiffness. *Arthritis & Rheumatism* 2007;56:4048-54.

Englund M, Guermazi A, Gale D, Hunter DJ, Aliabadi P, Clancy M, Felson DT. Incidental meniscal findings on knee MRI in middle-aged and elderly persons. *The New England Journal of Medicine* 2008;359:1108-15.

Englund M, Guermazi A, Roemer FW, Yang M, Nevitt MC, Lynch JA, Lewis CE, Torner J, Felson DT. Meniscal pathology increases the risk for both incident and enlarging subchondral bone marrow lesions of the knee – the MOST Study. *Annals of the Rheumatic Diseases* 2010;69:1796-802.

Englund M, Felson DT, Guermazi A, Roemer FW, Wang K, Crema M, Lynch JA, Sharma L, Segal N, Lewis CE, Nevitt MC. Risk factors for medial meniscal pathology on knee MRI in older U.S. adults: A multicenter prospective cohort study. *Annals of the Rheumatic Diseases* 2011;70:1733-9.

Englund M, Roemer FW, Hayashi D, Crema M, Guermazi A. Meniscus pathology: Role in knee osteoarthritis and treatment controversy. *Nature Reviews Rheumatology* 2012;8:412-9. [Review]

**Referenser till Carina Thorstenssons föredrag ” Att leva med leda leder – tips och råd för egenvård” på Forskningens dag 2013.**

Andriacchi, T. P., A. Mundermann, R. L. Smith, E. J. Alexander, C. O. Dyrby and S. Koo (2004). *A framework for the in vivo pathomechanics of osteoarthritis at the knee*. Ann Biomed Eng 32(3): 447-457.

Läkemedelsverket. (2004). *Läkemedelsverket Behandling av artros*. Retrieved 17 February, 2005, from [www.lakemedelsverket.se](http://www.lakemedelsverket.se)<<http://www.lakemedelsverket.se/>>.

Socialstyrelsen (2012). Nationella riktlinjer för rörelseorganens sjukdomar 2012.

Thomee, R. (1997). *A comprehensive treatment approach for patellofemoral pain syndrome in young women*. Phys Ther 77(12): 1690-1703.

Thorstensson, C., L. Dahlberg and G. Garellick. (2013). *BOA-registret årsrapport 2012*. från [www.boaregistret.se](http://www.boaregistret.se)<<http://www.boaregistret.se/>>.

Thorstensson, C. A., M. Henriksson, A. von Porat, C. Sjodahl and E. M. Roos (2007). *The effect of eight weeks of exercise on knee adduction moment in early knee osteoarthritis - a pilot study*. Osteoarthritis Cartilage. 15(10): 1163-1170.

Thorstensson, C. A., E. M. Roos, I. F. Petersson and B. Arvidsson (2006). *How do middle-aged patients conceive exercise as a form of treatment for knee osteoarthritis?* Disabil Rehabil. 28(1): 51-59.

Zhang, W., G. Nuki, R. W. Moskowitz, S. Abramson, R. D. Altman, N. K. Arden, S. Bierma-Zeinstra, K. D. Brandt, P. Croft, M. Doherty, M. Dougados, M. Hochberg, D. J. Hunter, K. Kwok, L. S. Lohmander and P. Tugwell (2010). *OARSI recommendations for the management of hip and knee osteoarthritis: part III: Changes in evidence following systematic cumulative update of research published through January 2009*. Osteoarthritis and Cartilage 18(4): 476-499.

**Referenser till Anna Nilsdotters föredrag "När är det dags för protes?" på Forskningens dag 2013.**

Svenska höftprotesregistret, [www.shpr.se](http://www.shpr.se)

Nationella knäartroplastikregistret, [www.knee.nko.se](http://www.knee.nko.se)

Nilsdotter AK, Toksvig-Larsen S, Roos EM (2009). *Knee Arthroplasty; are patients expectations fulfilled? A prospective study of pain and function in 102 patients with 5 year follow-up.* Acta Orthop. Feb;80(1):55-61.

Judge A, Arden NK, Cooper C, Kassim Javaid M, Carr AJ, Field RE, Dieppe PA (2012). *Predictors of outcomes of total knee replacement surgery.* Rheumatology (Oxford). Oct;51(10):1804-13. Epub 2012 Apr 24.